

PRICE LIST
 Valid from 10 - January 2012
 International Rev. 1.01

- 1 ACCESSORIES**
- 2 Analog I/O - S. Eur.**
- 3 Analog I/O - BLOCK.**
- 4 Analog I/O - M TYPE**
- 5 AXIS Controls**
- 6 B U S**
- 7 B U S - BLOCK**
- 8 C P U - Single Eur.**
- 9 C P U - BLOCK**
- 10 C P U - 3 TYPE**
- 11 C P U - 4 TYPE**
- 12 C P U - M TYPE**
- 13 C P U - Grifo Analog BLOCK TYPE**
- 14 C P U - Grifo Mini BLOCK TYPE**
- 15 C P U - QG TYPE**
- 16 C P U - C A N Grifo Mini Module**
- 17 C P U - Grifo Mini Module TYPE**
- 18 COMMUNICATIONS**
- 19 Digital I/O - S. Eur.**
- 20 Digital I/O - BLOCK**
- 21 Digital I/O - Expan.**
- 22 F B C**
- 23 G M T - Grifo ModBUS Telecontrol**
- 24 KEYBOARDS**
- 25 KITs and Educationals**
- 26 MASS MEMORIES**
- 27 PC Interfaces**
- 28 POWER Suppliers**
- 29 Q T P - Pannelli Operatore (Quik Terminal Panel)**
- 30 TELECONTROL**
- 31 VIDEO Units**

NAME	TYPE	1 ACCESSORIES	Price EURO
BEF 01		BUS Extension Card for F connector model DIN 41612, 48 pin	130,77
BEH 01		BUS Extension Card for H connector model DIN 41612, 7 pin + 24 pin	130,77
BEM 01		BUS Extension Card for M connector model DIN 41612, 15 pin	130,77
BIC 01		BUS Interface Card ECB -> Abaco® BUS Interface	121,74
BIC 02		BUS Interface Card Abaco® -> ECB BUS Interface	121,74
BLOCK.57.157		BLOCK - Housing 157 mm	11,72

BLOCK.72.67	BLOCK - Housing 65 mm	10,83
BLOCK.72.123	BLOCK - Housing 123 mm	15,34
BLOCK.72.157	BLOCK - Housing 157 mm	18,94
BLOCK.WM3	BLOCK - Housing 145 mm Profile. 3 TYPE	22,54
BLOCK.WM4	BLOCK - Housing 50 mm Profile. 4 TYPE	20,74
BLOCK.100.50	BLOCK - Housing 50 mm	20,74
BLOCK.100.145	BLOCK - Housing 145 mm	22,54
BLOCK.100.148	BLOCK - Housing 148 mm	22,54
BLOCK.100.195	BLOCK - Housing 195 mm	27,05
BLOCK.100.198	BLOCK - Housing 198 mm	27,05
BLOCK.100.245	BLOCK - Housing 245 mm	29,75
BLOCK.100.290	BLOCK - Housing 290 mm	31,57
BLOCK.100.390	BLOCK - Housing 390 mm	36,08
BLOCK.100.490	BLOCK - Housing 490 mm	40,58
Option .Ext-WM3	BLOCK - (+) Extention for 145 mm Profile. 3 TYPE	9,02
Option .Ext-WM4	BLOCK - (+) Extention for 50 mm Profile. 4 TYPE	7,22
Option .Ext-xxx	BLOCK - (+) Generic Extention for 20 mm Profile. -----Add----->	3,62
BLOCK.107.35	BLOCK - Housing 35 mm	11,72
BLOCK.107.105	BLOCK - Housing 105 mm	16,25
CCR S4+25	Communication Cable RS 232 D 25+25 for S4	19,83
CCR S4+9	Communication Cable RS 232 D 25+9 for S4	19,83
CCR 25+25	Communication Cable RS 232 D 25+25 for GPC xxx + FGDOS	19,83
CCR 25+9	Communication Cable RS 232 D 25+9 for GPC xxx + FGDOS	19,83
CCR 9+25	Communication Cable RS 232 D 9+25 for GPC xxx + FGDOS	19,83
CCR 9+9	Communication Cable RS 232 D 9+9 for GPC xxx + FGDOS	19,83
CCR 9+9E	Communication Cable RS 232 D 9+9 Extention for GMM TST2, etc.	19,83
CCR 9+9R	Communication Cable RS 232 D 9+9 Revers for QTP, GMB, ecc.	19,83
CCR .PCC	Communication Cable D 25 M + Connector for PCC A26	19,83
CCR .Plug25F	Communication Cable RS 232 D 25 F + PLUG for GPC 3/4 Type	16,25
CCR .Plug25M	Communication Cable RS 232 D 25 M + PLUG for GPC 3/4 Type	16,25
CCR .Plug25M.PRN	Communication Cable RS 232 D 25 F + PLUG for printed	16,25
CCR .Plug25M.Modem	Communication Cable RS 232 D 25 F + PLUG for Modem	16,25
CCR .Plug9M.Modem	Communication Cable RS 232 D 9 M + PLUG for Modem	16,25
CCR .Plug9F	Communication Cable RS 232 D 9 F + PLUG for GPC - PC	16,25
CCR .Plug9M	Communication Cable RS 232 D 9 M + PLUG for GPC 3/4 Type	16,25
CCR .Plug9M.QTP	Communic. Cable RS 232 D 9 M for QTP + PLUG for GPC 3/4 Type	16,25
CCR .Plug.QTP G28	Communic. Cable RS 232 PLUG for QTP G28 + PLUG	16,25
CCR .PT100	IPC-52 Cable for PT100-D25	44,2
CCR .TC	IPC-52 Cable for Termocoupled-D25	44,2
CC .CLOOP	Communication Cable 4 pins for Current Loop	2,71
CC. RS422	Communication Cable 5 pins (4+1) for RS 422	2,71
CKS AMP2	Connector KIT Set; 2 pins Female + AMP plastic housing for MOTHER-BO	1,8
AMP2.Cable	Cable AMP 2 pins Female. AMP plastic housing with 1m wire	3,32
CKS AMP4	Connector KIT Set; 4 pins Female + AMP plastic housing for QTP 03, etc	1,8
AMP4.Cable	Cable AMP 4 pins Female. AMP plastic housing with 1m wire	4,02
CKS AMP8	Connector KIT Set; 8 pins Female + AMP plastic housing for QTP 03, etc	2,71
AMP8.Cable	Cable AMP 8 pins Female. AMP plastic housing with 1m wire	7,15
AMP4+AMP8.Cable I2C BUS	Cable AMP 4 + AMP 8 pins Female. GAB+S-LOG I2C BUS Cable	11,17
CKS AMP16	Connector KIT Set; 16 pins Female + AMP plastic housing for QTP 4x6	3,62
AMP16.Cable	Cable AMP 16 pins Female. AMP plastic housing with 1m wire	12,51
CS4 POWER	Power connector KIT Set, plastic housing + 4 pins Female, for Power Su	1,8
CS2 BAT	2 pins connector KIT Set, plastic housing for 2 lines Female + 2 crimped	1,8
CS5 AUX	5 pins connector KIT Set, plastic housing for 5 lines Female + 5 crimped	2,71

CSF Cable		Cable Set Conn. crimped wire with female pin for CS2, CS51	1,8
CS8 POWER		Connector Set, 8 pins Female, for Power Sup. M Type.	1,8
CS8 Pins		Contact Pins Set, Pins for CS8 POWER,10 pcs. pack.	2,71
Option	.LITIO	OPTION External LITHIUM Battery 2,1 A/H, with cable and connector	18,94
FLT 10+10		Flat Cable length up to 1m with 10+10 connector	9,02
FLT 14+14		Flat Cable length up to 1m with 14+14 connector	9,92
FLT 16+16		Flat Cable length up to 1m with 16+16 connector	10,83
FLT 20+20		Flat Cable length up to 1m with 20+20 connector	11,72
FLT 26+20		Flat Cable length up to 1m with 26+20 connector	12,63
FLT 26+26 I/O		Flat Cable length up to 4 cm with 26+26 connector for Abaco I/O BUS	14,43
FLT 26x3 I/O		Flat Cable length up to 4 cm with 26x3 connector for Abaco I/O BUS	27,05
FLT 26x4 I/O		Flat Cable length up to 4 cm with 26x4 connector for Abaco I/O BUS	36,08
FLT 26+26		Flat Cable length up to 1m with 26+26 connector	14,43
FLT 34+34		Flat Cable length up to 1m with 34+43 connector	16,25
FLT 40+40		Flat Cable length up to 1m with 40+40 connector	18,03
FLT 50+50		Flat Cable length up to 1m with 50+50 connector	24,34
POF 01		Plastic Optical Fibre, cost per meter	3,62
PIF MRR		Panel Interface For MRR. 2 D connectors 9 poles + 4TE panel	63,12
PIF PCI		Panel Interface For PCI. D connector 26 poles + 4TE Panel+LED	77,57
PIF PCO		Panel Interface For PCO. D connector 26 poles + 4TE Panel+LED	77,57
PIF RPC		Panel Interface For RPC. Panel RPC xxx serie	41,49
PIF SER		Panel Interface For SERIAL. 2 D connectors 9 poles+4TE panel+LED	72,15
DEB 01		Didactic Experimental Board. 7 different sections for exp.	238,98
DKD 01		Developing keyboard Display. 64 keyss, 16 Digits, 128 LEDs	238,98
EXA 01		Extension Card Abaco® BUS with jumpers for opening tracks	157,82
EXA 01F		Extension Card Abaco® BUS with jumpers and Flat-Cable	157,82
IAC 01		Interface Adapter Centronics	13,54
IAE 01		Interface Adapter EE BUS 8255 -> EE BUS	4,51
µP 25		µP 87C51 PLCC 44 Progr. with Telecontrol Prog. (Abaco® Link BUS)	11,72
µP 25.DIP		µP 87C51 DIP40 Progr. with Telecontrol Prog. (Abaco® Link BUS)	11,72
Option.x94_4051_ALB		OPTION CPU 89C4051_ALB 89C4051 with ABACO LINK BUS Program	13,54
µP MCS BASIC-52 PLCC		µP 80C52 PLCC 44 Programmed with "MCS BASIC-52"	15,34
µP MCS BASIC-52.DIP		µP 80C52 DIP40 Programmed with "MCS BASIC-52"	15,34
QSP 01		Quick Support Programmer for GPC 180	279,55
SPA 01		(Scheda Prototipale Abaco®) Abaco® Support for Prototyping S. Euro	105,52
SPA 03		(Scheda Prototipale Abaco®) Abaco® Support for Prototyping 3/4 Ty	46
SPA 04		(Scheda Prototipale Abaco®) Abaco® Support for Prototyping 3/4 Ty	105,52
TI/O 16		TI/O 16 - Test Input/Output, 16 LEDs + 16 KEYS	55,91
QTP 72144		Metallic Containers for QTP 03 and QTP 4x6	36,08
QTP 96192		Metallic Containers for QTP 03 and QTP 4x6	53,2